

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

June 30, 2009

DP BARCODE:

364587

MRID:

475448-01, # 475448-02, # 475448-03

SUBJECT:

HeiQ AGS-20

REG. NO. OR FILE SYMBOL:

85249-R

55249-6

DOCUMENT TYPE:

Product Chemistry Review

Manufacturing-use [X]

OR End-use Product []

INGREDIENTS (PC Codes)

Silver (072501)

CAS Number:

7440-22-4

TEST LAB:

RCC Ltd, Zwitzerland

SUBMITTER:

HeiQ Materials AG, Switzerland

GUIDELINE:

OPPTS Test Guidelines 830 Group A and B

REVIEWER:

Alex Traska

ORGANIZATION:

AD

APPROVER:

Karen P. Hicks

APPROVED DATE:

7/2/09

COMMENT:

New Product Application



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

June 30, 2009

MEMORANDUM

Subject:

Review for EPA Reg. No. 85249-R

From:

Alexander W. Traska, Chemist
Chemistry and Toxicology Team
Product Science Branch
Antimicrobials Division (7510P)

Karen P. Hicks, CT Team Leader
Chemistry and Toxicology Team

7/2/09

Thru:

Chemistry and Toxicology Team

Product Science Branch

Antimicrobials Division (7510P)

Thru:

Michele E. Wingfield, Chief

Product Science Branch

Antimicrobials Division (7510P)

To:

Marshall Swindell/PM #33

Regulatory Management Branch Antimicrobials Division (7510P)

Applicant:

HeiQ Materials AG

Action Code: (540) New Product, Non-Fast-Track

Due out date: 15 August 2009

Formulations from Label

Active Ingredient(s)	% by wt.
Silver metal (Ag)	19.3
Other Ingredients	<u>80.7</u>
Total	100.0

I BACKGROUND

This new product registration, for the subject industrial antimicrobial silver additive, was submitted by the registrant, HeiQ Materials AG, Switzerland.

HeiQ Materials AG has submitted an application for registration of the new manufacturing-use product, HeiQ AGS-20. This product is an antimicrobial additive for use in manufacturing, formulating, and fabricating fibers, films, plastics, polymeric materials, cellulose based materials, latex, products, and ceramics. The product is for commercial and industrial use only. The data package included a pre-reaction and post reaction Confidential Statement of Formula (CSF) for the basic formulation (dated September 8, 2008). The product is produced by an integrated formulation system (i.e., the product contains an active ingredient that is not an EPA registered product).

The following documents were submitted and examined in the chemistry review of this submission: registrant's cover letter dated September 8, 2008, proposed Basic CSF (pre and post-reaction) dated September 8, 2008 and draft product label identified HeiQ-RRG-08-1. Also provided was product chemistry data covering OPPTS Test Guideline Series 830 Group A studies under MRID #475448-01 dated September 8, 2008 and MRID #475448-02 dated August 28, 2008 and Group B physical/chemical properties under MRID #475448-03 dated September 15, 2008.

A preliminary chemistry review of this new product registration was made by CSC Systems & Solutions LLC (CSS) and all relevant comments from the June 23, 2009 CSS review were incorporated into this Product Chemistry Review.

II FINDINGS

- 1. The requirements of PR Notice 91-2 were satisfied. The nominal concentration of the active ingredient, silver, as shown in the proposed post-reaction Basic CSF, dated September 8, 2008, agreed with the percentage declared on the product label.
 - 2. Standard certified limits were proposed for the active ingredient, silver.
- 3. The active and inert ingredients utilized in the proposed Basic CSF are cleared for use in this and other pesticide formulations
- 4. Since the product is produced by an integrated system of manufacture, the registrant provided a pre- and post-reaction Basic CSF. This format or type of formula disclosure format is accepted.
 - 5. The following revisions to the CSF must be made:

- Under Item #10 on the post-reaction CSF, identify silver as the active ingredient and list its CAS registry number as "7440-22-4."
- Under Item #10 on the post-reaction CSF, identify e as a formulation component.
- Under Item #10 on the post-reaction CSF, identify the CAS registry number for
- Under Item #14a and #14b of the post-reaction CSF, identify the upper and lower certified limits for
- The CSF was not signed by the approving official as is required
- 6. The study reports under MRID # 475448-01 and #475448-02 contained data responding to the requirements of OPPTS Test Guidelines 830 Group A. The data provided are acceptable with the exception of OPPTS 830.1750 (Certified Limits). To satisfy OPPTS 830.1750 (Certified Limits) requirements, a signed certification statement must be provided, as requested under OPPTS 830.1750(g).

A statement of Good Laboratory Practice (GLP) compliance was provided for the study assigned MRID #475448-02 (quantification of silver in five batches of HeiQ AGS-20 and validation of the analytical method). The study was performed in compliance with the Swiss Ordinance relating to GLP. These principles are compatible with GLP regulations specified by regulatory authorities in the U.S. (EPA and FDA).

7. The Group B product chemistry data requirements applicable to manufacturing-use products have been met, with the exception of OPPTS 830.6317 (Storage Stability) and OPPTS 830.6320 (Corrosion Characteristics). To satisfy OPPTS 830.6317 (Storage Stability) and OPPTS 830.6320 (Corrosion Characteristics) requirements, results for a minimum of 1 year from a GLP-compliant storage stability and corrosion characteristics study must be provided. Testing of the product is currently underway. Accelerated study results (for a 14-day interval) were provided. The concentration of the active ingredient in the product must be determined at the beginning of the test period and every 3 months thereafter for a period of 1 year. Storage and disposal information on the product label must be revised if product composition (or packaging) deteriorates over time.

Statements of Good Laboratory Practice (GLP) compliance were provided for five RCC Ltd. studies compiled within the study assigned MRID # 475448-03. The studies were performed in compliance with the Swiss Ordinance relating to GLP. These principles are compatible with GLP regulations specified by regulatory authorities in the U.S. (EPA and FDA).

III CONCLUSIONS

This new product application, which requested the approval to register a new silver based manufacturing-use product under the HeiQ AGS-20 registration, is accepted with comment.

Registrant is requested to address all issues and deficiencies noted above in the Findings.

Inert ingredient information may be entitled to confidential treatment

PRODUCT CHEMISTRY REVIEW

I. CONFIDENTIAL STATEMENT OF FORMULA

a. Type of formulation and	source registrati	011.		
Non-integrated form	ulation system		[]	
Are all TGAIs used r	registered?		Yes []	No []
• Integrated formulation	n system		[X]	
• If "ME-TOO," speci:	fy EPA Rcg. No	o. of existing pr	roduct:	
b. Clearance of inerts for no The product is cleare			§ 180.940 and Yes []	180.950. No[]
Note: The product lo applications involvin				
c. Physical state of product:			Solid (fine po	wder)
d. The chemical IDs and and density, pH, and flammability				
e. The NCs and CLs are acc No []	eptable.		Yes [X]	
Note: Standard certi Note: The CSF mus product (i.e., and lower certified li	t be revised to i		t component of	the
f. Active ingredient(s)	<u>NC</u> (%)	<u>LCL</u> (%)	UCL (%)	
Silver	19.3	18.3	20.3	

Do all impurities of toxicological significance have a UCL?
 Yes [] No [] Not applicable [X]

 Have all impurities of ≥ 0.1% in the product bee Yes [] No [] Not applicable [X] 		
PRODUCT LABEL		
a. The active ingredient(s) statement (chemical IDs and CONFIDENTIAL STATEMENT OF FORMULA.	NC) is consiste Yes [X]	ent with the No[]
b. The formula contains one of the following:		
 10% or more of a petroleum distillate: 1.0% or more of methyl alcohol: sodium nitrite at any level: a toxic List 1 inert at any level: arsenic in any form: 	Yes [] Yes [] Yes [] Yes [] Yes []	No [X] No [X] No [X] No [X] No [X]
c. If "yes" to any of the above, does the inert ingredient footnote indicating this? Yes [] No [X]		tain a applicable
d. Appropriate warning statement(s) regarding flammab characteristics of the product are listed on the label. Yes [] No []	oility or explosi	
e. The storage and disposal instructions for the pesticide compliance with PR Notice 84-1 for household use produle all other uses.		
Yes [X] No []		
f. The product requires an expiration date at which time LCL (based on the 1-year storage stability data or other Yes [] No []		elow the
Note: Storage stability studies are ongoing and	have not been c	ompleted.

Table A: Product Chemistry (830 Series, Group A)

H

Data Requirements	Acceptance of Information	MRID No.
830.1550 Product Identity ¹	A	475448-01
·		and CSF
830.1600 Description of	A	475448-01
Materials		
830.1620 Production Process ²	A	475448-01
		and CSF

Data Requirements	Acceptance of Information	MRID No.
830.1650 Formulation Process ³	NA	
830.1670 Formation of	A	475448-01
Impurities ⁴		
830.1700 Preliminary Analysis ⁵	A – Results from the analysis of five	475448-02
	batches of the product were provided.	
	Testing was conducted in compliance with GLP.	
830.1750 Certified Limits ⁶	A	475448-01 and CSF
	G – The CSF must be revised to identify	
	the inert component of the product (i.e.,	
). The CSF must be revised	
	to identify the upper and lower certified	
	limits for	
	G – A signed certification statement must	
	be provided, as requested under OPPTS	
	830.1750(g).	
830.1800 Analytical Method ⁷	A – A copy of a validated atomic	475448-02
	absorption spectroscopy (AAS) method	
	was provided.	
830.1900 Submittal of Samples	[Samples are to be provided on a case-by-	
	case basis for manufacturing-use	
	products.]	

Explanation: A=acceptable; N=not acceptable (i.e., item was submitted but is not acceptable); NA=technically not applicable (i.e., not required); G=data gap (i.e., item was not submitted but is required); U=requires upgrading (i.e., item is unacceptable but upgradeable); W=waived; E=EPA estimate.

See Confidential Appendix A for additional information.

²For MP/EP products produced by an integrated formulation system.

³For products from a TGAI or MP.

⁴May be waived unless actual/possible impurities are of toxicological concern.

⁵Five batch analysis required for products produced by an integrated formulation system.

⁶If different from standard CLs recommended in 40 CFR 158.175, this should be discussed in Confidential Appendix A.

⁷Abbreviate method used as follows: gas chromatography (GC), infrared (IR), ultraviolet absorption (UV), nuclear magnetic resonance (NMR), etc.

Table B: Physical and Chemical Characteristics (Series 830, Group B)

Physical/Chemical Properties*	Acceptance of Data	Value or Qualitative Description	MRID No.
830.6302 Color	A	The color of the product is brown, based on visual inspection.	475448-03
830.6303 Physical State	A	The product is a fine powder, based on visual inspection.	475448-03
830.6304 Odor	A	The product has a slightly earthy odor.	475448-03
830.6313 Stability to Normal and Elevated Temperatures, Metals, and Metal Ions	NA	[Not required for manufacturing-use products.]	
830.6314 Oxidation/ Reduction; Chemical Incompatibility	A	The product contains no oxidizing or reducing agents.	475448-03
830.6315 Flammability/ Flame Extension	A	The product does not contain combustible liquids.	475448-03
830.6316 Explodability	A	The product is not potentially explosive.	475448-03
830.6317 Storage Stability	G	An accelerated storage stability study was conducted. Samples of the product were stored for 14 days at 54°C in a commercial container (i.e., polyethylene flask with security closure and a white sealing insert). The following parameters were assessed initially and at the 14-day interval: physical appearance (e.g., color, physical state, odor), active ingredient concentration, and container weight. No changes in the physical appearance of the product were noted through the 14-day interval, for samples stored at 54°C. The active ingredient concentration decreased by 1.17% at the 14-day interval, for samples stored at 54°C. The container lost 0.13% of its weight during	475448-03

Physical/Chemical	Acceptance	Value or Qualitative	MRID
1 *	-	,	No.
830.6319 Miscibility 830.6320 Corrosion Characteristics	of Data NA G	storage. CIPAC MT 46.3 was referenced. Testing was conducted in compliance with GLP. A storage stability study is currently underway. Results will be provided to EPA once the study is complete. The product is a solid. An accelerated corrosion characteristics study was conducted. Samples of the	No. 475448-03
		product were stored for 14 days at 54°C in a commercial container (i.e., polyethylene flask with security closure and a white sealing insert). The appearance of the container was evaluated initially and at the 14-day interval. At the 14-day interval, the appearance of the container was unaltered. Testing was conducted in compliance with GLP. A corrosion characteristics	
		study is currently underway. Results will be provided to EPA once the study is complete.	
830.6321 Dielectric Breakdown Voltage	NA	The product is a solid.	
830.7000 pH ²	A	The mean pH of the product was reported to be 7.2 at 22°C. A 1% solution of the product in water was tested. Two determinations were made. CIPAC MT 75.3 was referenced. Testing was conducted in compliance with GLP.	475448-03
830.7050 UV/Visible Absorption	NA	[Not required for manufacturing-use products.]	

Physical/Chemical	Acceptance	Value or Qualitative	MRID
Properties*	of Data	Description	No.
830.7100 Viscosity	NA	The product is a solid.	1107
830.7200 Melting	A	The product did not melt in the	475448-03
Point/Melting Range		temperature range between	
		25°C to 400°C (using a	
		differential scanning	
		calorimeter). EEC Directive	1
		92/69/EEC Method A.1 and	
		OECD Guideline No. 102 were	
		referenced. Testing was	
		conducted in compliance with	
020 7220 D 'I'	D.T.A.	GLP.	
830.7220 Boiling	NA	[Not required for	
Point/Boiling Range 830.7300 Density/Relative	A	manufacturing-use products.] The mean tap density of the	475448-03
Density/Bulk Density	Α	product was reported to be	4/3446-03
Belisity/Bulk Belisity		0.123 g/mL. Two	
		determinations were made.	
		CIPAC MT 159 was	
		referenced. Testing was	
		conducted in compliance with	
		GLP.	
830.7370 Dissociation	NA	[Not required for	475448-03
Constants in Water		manufacturing-use products.]	
	T. Company	The product contains no acid or	
		base functionality.	
830.7550/830.7560/830.7570	NA	[Not required for	475448-03
Partition Coefficient		manufacturing-use products.]	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		y	
		The product is an inorganic	
		substance.	
830.7840/830.7860 Water	A	The water solubility of the	475448-03
Solubility		product was reported to be	
	- Control of the Cont	210.3 mg Ag/L at 20°C, using	
	Andrew Control of the	the flask shaking method. Two	
		determinations each were made	
		after 24, 48, and 72 hours of agitation. EEC Directive	
		92/69/EEC Method A.6 and	
		OECD Guideline No. 105 were	
		referenced. Testing was	
		conducted in compliance with	
		GLP.	
830.7950 Vapor Pressure	NA	[Not required for	

Physical/Chemical	Acceptance	Value or Qualitative	MRID
Properties*	of Data	Description	No.
		manufacturing-use products.]	

Explanation: A=acceptable; N=not acceptable (i.e., item was submitted but is not acceptable); NA=technically not applicable (i.e., not required); G=data gap (i.e., item was not submitted but is required); U=requires upgrading (i.e., item is unacceptable but upgradeable); W=waived; E=EPA estimate.

^{*} Provide brief description, e.g., color – yellow or property value, e.g., density 1.25 g/cc. Unless otherwise indicated, the property should be at 25°C.

¹If product is an emulsifiable liquid ²If product is dispersible with water